Kawasaki

Assembly Instructions

Model:	ZX1002A/B
Description:	Bag Fitting Kit
Part Number:	99994-1090
Flat Rate Time(Hr):	0.2

Before you begin, read through these instructions and check that all parts are present. Please note that Kawasaki cannot assume any responsibility for damage resulting from incorrect installation.


Kawasaki recommends that all genuine accessories should be fitted by an authorized Kawasaki dealer.

The following symbols indicate the information for proper installation and operation in this instruction.

NOTE : NOTE indicates information that may help or guide you in the operation or service of the vehicle.

- Indicates a procedural step or work to be done.
- O Indicates a procedural sub-step or how to do the work of the procedural step it follows. It also precedes the text of a NOTE.

Parts List						
No.	Component Name	Part No.	Qty	Remark		
1	Bracket	11057-1467	1	Left		
2	Bolt	92154-2906	4			
3	Damper	92161-1550	1	Left		
4	Guard	55020-0981	1	Left		
5	Guard	55020-1823	1	Left		
6	Guard	55020-2222	1	Left		
7	Guard	55020-2224	1	Left		
8	Label	56071-0810	2			
9	Bracket	11057-1468	1	Right		
10	Damper	92161-1551	1	Right		
11	Guard	55020-0982	1	Right		
12	Guard	55020-1824	1	Right		
13	Guard	55020-2223	1	Right		
14	Guard	55020-2225	1	Right		
15	Label	56071-0809	2			



Installation Instructions

Assembly Procedure for Left Side

• Remove the quick rivets [A].

NOTE


O The removed quick rivets are not necessary for this accessory.



- Install the bracket [1].
- Tighten:

Torque - Bolts [2]: 25 N·m (2.5 kgf·m, 18 ft·lb)


• Install the damper [3] so that the mark [A] side faces inward.




• Install the guards [4 ~ 7].

NOTE

○ The right side installation is the same as left side.





• Install the label [8 or 15] to both the bags.

